

Novedades GTLAN

MAYO 2019

CATEGORIA C-8



50K8HPTL: Conector RJ45 H C-8 FTP. 180° H.P. Tool less




50CFR8: Conector RJ45 M.C. Rígido FTP. C-8 Tool less




50F81AM/82AM/83AM/85AM: Latiguillo RJ45 C-8 S/FTP 1MT/2MT/3MT/5MT

CABLES



50NU5EXT: Cable UTP rígrado C-5E Ext. 305 MT.



50NU6L/6L1: Cable UTP rígrado C-6 ECA 305MT (6L) ó 1000 MT (6L1)



BD1885ENH500: Cable S/FTP rígrado DCA C-7 lszh Belden 500 MT.

50NU6AECA: Cable de interior U/UTP categoría 6A ECA.

50NUFTP6ACCA: Cable de interior U/FTP categoría 6A CCA

50NU6EXT: Cable de interior U/UTP 6A cubierta color negro

SWITCH INDUSTRIALES



RPSWI5G: Switch industrial 5 RJ45 10/100/1000 DIN



RPSWI8G: Switch industrial 8 RJ45 10/100/1000 DIN .



RPSWI4G2SFP: Switch industrial 4 RJ45 10/100/1000 DIN + 25SFP DIN

BAJO PEDIDO SWITCHES INDUSTRIALES GESTIONABLES

SAI



RPSAI650: Sai 650 VA 360W 12V/7AH gtlan
RPSAI850: Sai 850 VA 480W 12V/9AH gtlan

ROSETAS



50RU16K: Roseta superficie 1 RJ45 UTP C-6 EKO
50RU26K: Roseta superficie 2 RJ45 UTP C-6 EKO

LATIGUILLOS



50U6025GRL: Latiguillo RJ45 C-6 UTP 0,25 MT gtlan GRIS LSZH
50U65GRK: Latiguillo RJ45 C-6 UTP 5MT gtlan EKO

CONVERTIDORES



RPCMMSC: Con-
vertidor RJ45 FO
10/100/1000 MM SC



RPCMMST: Con-
vertidor RJ45 FO
10/100/1000 MM ST



RPCSMGBIC: Con-
vertidor RJ45 FO
10/100/1000 P/MINI
G-BIC.

ONT HUAWEI




EG8145V5:
 NNI: GPON
 UNI: 1 POTS+4GE+1USB+2 WI-FI
 2.4GHz: 11n 2x2 MIMO
 5GHz: 11ac 2x2 MIMO
 173 x120 x 30 mm
 Sin antena externa



EG8247Q:
 NNI: GPON
 UNI: 2POTS+4GE+2USB+1RF+2 WI-FI
 2,4GHZ:11n 3x3 MIMO
 5GHz:11ac 3x3 MIMO
 219x159x32 mm
 Sin antena externa

OLT HUAWEI



ONT ZTE

Physical Interface	WAN	GPON
	LAN	4xGE 802.11b/g/n Wi-Fi @ 2.4GHz (2x2) 802.11a/n/ac Wi-Fi @ 5GHz (4x4) 2xFXS 1xRF 1xUSB2.0 Host

Released Developing Planned Planning

Status Sample

V1.0 2019.06

F688

Physical Interface	WAN	GPON
	LAN	4xGE 802.11b/g/n Wi-Fi @ 2.4GHz (2x2) 802.11a/n/ac Wi-Fi @ 5GHz (4x4) 2xFXS 1xUSB2.0

Released Developing Planned Planning

Status Launch

V1.0 2017.01

F680

Physical Interface	WAN	GPON
	LAN	4xGE 802.11b/g/n Wi-Fi @ 2.4GHz (2x2) 802.11a/n/ac Wi-Fi @ 5GHz (2x2) 1xFXS 1xUSB 2.0 Host

Released Developing Planned Planning

Status Sample Trial Launch

V1.1 2018.10 2018.11 2018.12

F670L

OLT ZTE




OLT320:

Dimensions	86,1 x 482,6 x 270 mm
Switching capacity	128 Gbps
LC Slots	2(up to 32 ports)
Dispersion	>2k (1:64)
Uplink	Embed (up to 2*10G+2*1G)
Power	DC , max 192W (AC with PRAM)



OLT350:

Dimensions	263,9 x 482,6x240 mm
Switching capacity	2,56 Tbps
LC Slots	7(up to 112 ports)
Dispersion	>7k(1:64)
Uplink	2 Slots (up to 8*10 G)
Power	DC , max 545W



OLT610:

Dimensions	43,6 x 442 x 220 mm
Switching capacity	160 Gbps
LC Slots	1 (8/16 ports)
Dispersion	512 - 1024 (1:64)
Uplink	Embed (up to 4*10G +2*1 G)
Power	DC , max < 100W (AC ongoing)



31GTS2266 (*DM): Armario 19" S 22U F600A600+ACC. GLOBAL
31GTS4266 (*DM): Armario 19" S 42U F600 A600+ACC. GLOBAL

*DM : Ambos modelos se pueden servir desmontados



31GTS4218 (*DM): Armario 19" S 42U F1000 A800+ACC. GLOBAL

*DM : Se puede servir desmontado



31GTM9F4SG: Armario 9U con cierre de seguridad.



31SSEG: Cambio de modelo del armario de seguridad .



35GTF02G657A2E: Cable FO 2 SM 9/125 EXT. G657A2 500 MT Cablelan.



35GTF0G657A2AF: Cable FO 1 SM EXT. G657A2 DROP Aramida C/ Fleje 1000 MT Cablelan.



35GTF0G657A2A: Cable FO 1 SM 9/125 EXT. G657A2 DROP Aramida 500 MT Cablelan.



35GTF012G652DE: Cable FO 12 SM 9/125 EXT. DIELECTRICA G652D 2000 MT Cablelan.



35GTF0G657A2BE: Cable FO 1 SM 9/125 INT-EXT. G657A2 Blin-dada FR UV Dca 3MM con cubierta negra 1000MT Cablelan.



35GTF0G657A2: Cable FO 1 SM 9/125 EXT. G657A2 DBL CUBIER-TA 500 MT Cablelan.

TENEMOS POSIBILIDAD DE INCORPORAR CUALQUIER CABLE DE FO SEGÚN LAS NECESIDADES DEL CLIENTE



35GTCS1SCAPC2B:
Roseta superficie FO
+LAT SC/APC SIM-
PLE 2MT



35GTCS2SCDP40:
Caja superficie FO
2SC DUPLEX SM PRE-
CONNECT. 40 MT Gtlan



35GTCE24SCK: Caja
empalme estanca FO
24 SC EKO.



35GTCE96C: :Caja
distribuidora de 96FO



35GASSCAPCT: Adap-
tador FO SCAPC H-H
Panel SM VERDE C/
Tapa



35GTASSCAPCTD:
Adaptador FO SCAPC
DUPLEX H-H PANEL
SM VERDE C/Tapa



35GTASSCAPCS:
Adaptador FO SCAP
H-H Panel SM verde
SLIM



35GTALCDOM3: Adap-
tador FO LC DUPLEX
H- H Panel MM OM 3



35GTMTPL:Cable FO
MTP



35GTMTPC: Casete
múltiple MTP de 24
puertos LC.



35GTMTPCB: Bandeja
multifunción.



35GTSFO:Herra-
mienta sangradora
P/CABLE FO



35GT1SCAPC2B/25B: Latiguillo FO sm 9/125 SC-APC SIMPLE 2.8mm BLINDADO 2MT/2.5 MT



35GT1SCAPC1S/15S/2S/5S: Latiguillo FO sm 9/125 SC-APC SIMPLE G657-A2 3mm 1MT/1,5MT/2MT/5MT



35GT1SCAP-CUPC15S/2S/25S:: Latiguillo FO SM 9/125SC-UPC SIMPLE G657-A2 3mm 1.5MT/2MT/2.5MT



35GT1SCAPC05B/15B/2B/25B: Latiguillo BLINDADO FO SM 9/125 SC-APC UPC SIMPLE G657-A2 3mm 0.5MT/1.5MT/2MT /2.5MT



35GTPISSC-40M/60M/80M/100M: Pigtails FO SM 9/125 INT SC-APC G657-A2 40MT/60MT/80MT/100MT



35GTPPSCAPC1S: Pareja pigtails FO SM 9/125 SC-APC 1MT 0.9mm G657-A2 RJ-VD



22GTHFSC: Holder fusionadora conector SC FO.




35GTSPT8TBS/16TBS: Splitter FO SM 1:8/1:16 SC/APC Sin conector Steel Tube Gtlan



35GTSC9AFB: Conector FO SCAPC 9/125 0.9 MM FAST P/HOLDER



22GTOTDR: OTDR FO MANUAL
850/ 1310/1550NM 21/30/28dB



22GTFSA: Fusionadora FO auto-
mática COMPAK gtlan